PageSpeed Insights

Mobile

33 / 100 Speed

⚠ Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

Enable compression for the following resources to reduce their transfer size by 1.2MiB (81% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/plugins/js_composer/assets/css/js_composer.min.css?ver=5.4.5 could save 407.5KiB (90% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/themes/qb/assets/css/layout_1/main.css?ver=3.7.3 could save 373KiB (87% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/themes/qb/assets/css/bootstrap.min.css?ver=3.7.3 could save 96.3KiB (83% reduction).

Mobile

- Compressing http://www.quickbooks-pro.net/wp-content/plugins/revslider/public/assets/js/jquery.themepunch.tools.min.js?ver=5.4.3.1 could save 70.5KiB (65% reduction).

- Compressing http://www.quickbooks-pro.net/wp-includes/js/jquery/jquery.js?ver=1.12.4 could save 61.9KiB (65% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/plugins/revslider/public/assets/js/jquery.themepunch.revolution.min.js?ver=5.4.3.1 could save 45.6KiB (72% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/themes/qb/assets/js/select2.min.js?ver=3.7.3 could save 43.8KiB (71% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/themes/qb/assets/js/bootstrap.min.js?ver=3.7.3 could save 25.9KiB (73% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/themes/qb/assets/css/font-awesome.min.css?ver=3.7.3 could save 23.4KiB (77% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/plugins/revslider/public/assets/css/settings.css?ver=5.4.3.1 could save 22.2KiB (76% reduction).

- Compressing http://www.quickbooks-pro.net/ could save 17.4KiB (68% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/themes/qb/assets/js/custom.js?ver=3.7.3 could save 16.2KiB (76% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/themes/qb/assets/css/select2.min.css?ver=3.7.3 could save 12.7KiB (87% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/plugins/js_composer/assets/js/dist/js_composer_front.min.js?ver=5.4.5 could save 11.2KiB (68% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/plugins/contact-form-7/includes/js/scripts.js?ver=5.0.1 could save 10.3KiB (72% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/themes/qb/style.css?ver=3.7.3 could save 7.6KiB (73% reduction).

- Compressing http://www.quickbooks-pro.net/wp-includes/js/wp-emoji-release.min.js?ver=4.9.5 could save 7.3KiB (64% reduction).

- Compressing http://www.quickbooks-pro.net/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1 could save 5.9KiB (60% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=5.0.1 could save 1KiB (61% reduction).

- Compressing http://www.quickbooks-pro.net/wp-includes/js/wp-embed.min.js?ver=4.9.5 could save 647B (47% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 4 blocking script resources and 9 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

- http://www.quickbooks-pro.net/wp-includes/js/jquery/jquery.js?ver=1.12.4

- http://www.quickbooks-pro.net/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1

- http://www.quickbooks-pro.net/wp-content/plugins/revslider/public/assets/js/jquery.themepunch.tools.min.js?ver=5.4.3.1

- http://www.quickbooks-pro.net/wp-content/plugins/revslider/public/assets/js/jquery.themepunch.revolution.min.js?ver=5.4.3.1

Optimize CSS Delivery of the following:

- http://www.quickbooks-pro.net/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=5.0.1

- http://www.quickbooks-pro.net/wp-content/plugins/revslider/public/assets/css/settings.css?ver=5.4.3.1

- http://www.quickbooks-pro.net/wp-content/themes/qb/assets/css/bootstrap.min.css?ver=3.7.3

- http://www.quickbooks-pro.net/wp-content/themes/qb/assets/css/font-awesome.min.css?ver=3.7.3

- http://www.quickbooks-pro.net/wp-content/themes/qb/style.css?ver=3.7.3

- http://www.quickbooks-pro.net/wp-content/themes/qb/assets/css/layout_1/main.css?ver=3.7.3

- http://www.quickbooks-pro.net/wp-content/themes/qb/assets/css/select2.min.css?ver=3.7.3

- https://fonts.googleapis.com/css?family=Open+Sans%3A400%2C300%2C300italic%2C400italic%2C600%2C600italic%2C700%2C700italic%2C800%2C800italic%26subset%3Dlatin%2Cgreek%2Cgreek-ext%2Cvietnamese%2Ccyrillic-ext%2Clatin-ext%2Ccyrillic%7CPoppins%3A400%2C500%2C300%2C600%2C700%26subset%3Dlatin%2Clatin-ext%2Cdevanagari&ver=3.7.3

- http://www.quickbooks-pro.net/wp-
content/plugins/js_composer/assets/css/js_composer.min.css?ver=5.4.5

🔸 Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Leverage browser caching for the following cacheable resources:

- http://www.quickbooks-pro.net/wp-content/uploads/2018/03/qbpro.net_-5.png (expiration not specified)

- http://www.quickbooks-pro.net/wp-content/uploads/2018/03/support-for-
quickbooks11-1024x319.jpg (expiration not specified)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Minify CSS for the following resources to reduce their size by 89.6KiB (21% reduction).

- Minifying http://www.quickbooks-pro.net/wp-
content/themes/qb/assets/css/layout_1/main.css?ver=3.7.3 could save 86.4KiB (21% reduction).

- Minifying http://www.quickbooks-pro.net/wp-content/themes/qb/style.css?ver=3.7.3 could save 3.1KiB (30% reduction).

- Minifying http://www.quickbooks-pro.net/wp-content/plugins/contact-
form-7/includes/css/styles.css?ver=5.0.1 could save 204B (13% reduction).

Mobile

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

Minify HTML for the following resources to reduce their size by 2.9KiB (12% reduction).

- Minifying http://www.quickbooks-pro.net/ could save 2.9KiB (12% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify JavaScript for the following resources to reduce their size by 10.1KiB (29% reduction).

- Minifying http://www.quickbooks-pro.net/wp-content/themes/qb/assets/js/custom.js?ver=3.7.3 could save 6.6KiB (32% reduction).

- Minifying http://www.quickbooks-pro.net/wp-content/plugins/contact-form-7/includes/js/scripts.js?ver=5.0.1 could save 3.5KiB (25% reduction).

✔ 3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

Optimize images

Your images are optimized. Learn more about optimizing images.

Mobile

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

`100 / 100` User Experience

✔ 5 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Size tap targets appropriately

All of your page's links/buttons are large enough for a user to easily tap on a touchscreen. Learn more about [sizing tap targets appropriately](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop

`44 / 100` Speed

⚠ Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

Enable compression for the following resources to reduce their transfer size by 1.2MiB (81% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/cache/wpfc-minified/fdfimi1s/ab480.css could save 444.2KiB (85% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/cache/wpfc-minified/drxvwp0u/abb21.css could save 412KiB (90% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/cache/wpfc-minified/lckrzz5n/ab480.js could save 185.5KiB (67% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/themes/qb/assets/js/select2.min.js?ver=3.7.3 could save 43.8KiB (71% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/themes/qb/assets/js/bootstrap.min.js?ver=3.7.3 could save 25.9KiB (73% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/cache/wpfc-minified/m92gtn91/ab480.css could save 24KiB (76% reduction).

- Compressing http://www.quickbooks-pro.net/ could save 17.2KiB (68% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/themes/qb/assets/js/custom.js?ver=3.7.3 could save 16.2KiB (76% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/cache/wpfc-minified/mmlhzg2s/ab480.css could save 12.7KiB (87% reduction).

Desktop

- Compressing http://www.quickbooks-pro.net/wp-content/plugins/js_composer/assets/js/dist/js_composer_front.min.js?ver=5.4.5 could save 11.2KiB (68% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/plugins/contact-form-7/includes/js/scripts.js?ver=5.0.1 could save 10.3KiB (72% reduction).

- Compressing http://www.quickbooks-pro.net/wp-includes/js/wp-emoji-release.min.js?ver=4.9.5 could save 7.3KiB (64% reduction).

- Compressing http://www.quickbooks-pro.net/wp-includes/js/wp-embed.min.js?ver=4.9.5 could save 647B (47% reduction).

🟧 Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- http://www.quickbooks-pro.net/wp-content/cache/wpfc-minified/drxvwp0u/abb21.css (expiration not specified)

- http://www.quickbooks-pro.net/wp-content/cache/wpfc-minified/fdfimi1s/ab480.css (expiration not specified)

- http://www.quickbooks-pro.net/wp-content/cache/wpfc-minified/lckrzz5n/ab480.js (expiration not specified)

- http://www.quickbooks-pro.net/wp-content/cache/wpfc-minified/m92gtn91/ab480.css (expiration not specified)

- http://www.quickbooks-pro.net/wp-content/cache/wpfc-minified/mmlhzg2s/ab480.css (expiration not specified)

- http://www.quickbooks-pro.net/wp-content/uploads/2018/03/qbpro.net_-5.png (expiration not specified)

- http://www.quickbooks-pro.net/wp-content/uploads/2018/03/support-for-quickbooks11.jpg (expiration not specified)

Desktop

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

Minify HTML for the following resources to reduce their size by 3.9KiB (16% reduction).

- Minifying http://www.quickbooks-pro.net/ could save 3.9KiB (16% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify JavaScript for the following resources to reduce their size by 10.1KiB (29% reduction).

- Minifying http://www.quickbooks-pro.net/wp-content/themes/qb/assets/js/custom.js?ver=3.7.3 could save 6.6KiB (32% reduction).

- Minifying http://www.quickbooks-pro.net/wp-content/plugins/contact-form-7/includes/js/scripts.js?ver=5.0.1 could save 3.5KiB (25% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Optimize CSS Delivery of the following:

- http://www.quickbooks-pro.net/wp-content/cache/wpfc-minified/m92gtn91/ab480.css

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 13.4KiB (17% reduction).

- Compressing http://www.quickbooks-pro.net/wp-content/uploads/2018/03/support-for-quickbooks11.jpg could save 13.4KiB (17% reduction).

✔ 3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).